



Description

8 Megapixel CCD camera with high frame rate - Dual port GigE

The 8-megapixel Prosilica GX3300 is a very high-resolution CCD camera with Gigabit Ethernet output. The GX3300 has a fast frame rate of 17 fps at 3296 x 2472 resolution. The sensor used in the GX3300 is the high-quality 8-Megapixel CCD Kodak KAI-08050 that provides superior image quality, excellent sensitivity, and low noise.

The GX3300 has two screw-captivated Gigabit Ethernet ports configured as a Link Aggregation Group (LAG) to provide a sustained maximum data rate of 240 MBytes per second. The GigE Vision® compliant GX3300 works with standard gigabit Ethernet hardware and cable lengths up to 100 meters (300 ft) using conventional Cat-5e network cabling.

The GX3300 is available with a F-mount.

Features include:


- 4/3" format 3296 x 2472
- Thermal management enclosure
- Kodak KAI-08050 Progressive scan CCD
- 17 fps at full-resolution
- Gigabit Ethernet interface Dual Port 240 MB/s




Specifications

| Prosilica GX | GX3300 |
|--|---|
| Resolution | 3296 x 2472 |
| Max frame rate at full resolution | 17 fps |
| Туре | CCD Progressive |
| Interface | Double Speed IEEE 802.3 1000baseT |
| A/D | 14 bit |
| Output | 8/14 (mono) - 8/12 (color) bit |
| Sensor Size | Type 4/3 |
| Sensor | Kodak KAI-08050 |
| Cell size | 5.5 μm |
| On-board FIFO | 128 MB |
| Body Dimensions (L x W x H in mm) | $59.7 \times 59.7 \times 136.7$ (including connectors, w/o tripod and lens) |

Download Prosilica GX technical drawing (click here)







Smart features

The Prosilica GX3300 features include:

- 4/3" format 3296 x 2472
- Kodak KAI-08050 Progressive scan CCD
- F-mount
- Thermal management enclosure
- StreamBytesPerSecond (easy bandwidth control)
- Advanced binning functions
- Global shutter (Snapshot shutter)
- 17 fps at full-resolution
- Gigabit Ethernet interface Dual Port 240 MB/s
- GigE Vision compliant
- Asynchronous external trigger and sync I/O
- 128 MB resend/image buffer
- Screw-captivated power connection
- Software development Kit



Applications

The 8 Megapixel GX3300 is ideal for a wide range of applications including:

- LCD panel inspection
- high-resolution industrial inspection
- 3-D metrology, general machine vision
- public security
- military surveillance
- traffic imaging (Intelligent Traffic Systems)
- embedded systems
- OEM applications